

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	571947	(wafer\$1 or semiconductor\$I or chip\$I or subtrat\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:12
L2	2	L1 and select\$3 and review adj data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:13
L3	2	L1 and review adj data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:13
L4	638	L1 and review and data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:14
L5	134	L1 and review same data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:14
L6	0	L5 and defect and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:15
L7	0	L5 and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:15
L8	1	L5 and classification and knowledge near3 database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:15
L9	11	L4 and classification and knowledge near3 database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:15

L10	5	L9 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:16
L11	5	L10 and review and data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:16
L12	1	L11 and (user or operator or human) and page and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:17
L13	1	L11 and (user or operator or human) and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:17
L14	9	L4 and (detect\$3 or determining) and (defect or fault or flaw) and classification and knowledge near3 database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:19
L15	13	learning and (knowledge- based or knowledge adj based) and database and automatic and defect adj classification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:21
L16	10	L15 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:21
L17	0	L16 and review and data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:21
L18	1	L16 and data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:22
L19	8	L16 and (wafer\$1 or semiconductor\$1 or chip\$1 or substrat\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:24

L20	8	L19 and @ad< "20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:24
L21	6	L20 and descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:43
L22	5	L20 and descriptor adj (defect or fault or flaw)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:46
S1	571947	(water\$1 or semiconductor\$1 or chip\$1 or subtrat\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:27
S2	1	S1 and automatic and defect adj classification and teaching and knowledge adj based adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:29
S3	1	automatic and defect adj classification and teaching and knowledge adj based adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:30
S4	1	S1 and defect adj classification and teaching and knowledge adj based adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:30
S5	1	defect adj classification and teaching and knowledge adj based adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:30
S6	2	defect adj classification and knowledge adj based adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:31
S7	82	defect and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:31

S8	19	S7 and (wafer\$1 or semiconductor\$1 or chip\$1 or substrat\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:31
S9	17	S8 and (@ad<"20030712" or @rlad<"20030712" or @prad<"20030712" or @ptad<"20030712")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:36
S10	12	S8 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:36
S11	24	((DIRK) near2 (SOENKSEN)). INV.	US-PGPUB; USPAT	OR	ON	2008/12/05 11:36
S12	11	((RALF) near2 (FRIEDRICH)). INV.	US-PGPUB; USPAT	OR	ON	2008/12/05 11:37
S13	1	((ANDREAS) near2 (DRAEGER)). INV.	US-PGPUB; USPAT	OR	ON	2008/12/05 11:37
S14	2	((DETLEF) near2 (SCHUPP)). INV.	US-PGPUB; USPAT	OR	ON	2008/12/05 11:37
S16	2	((THIN) near2 ("VAN LUU")). INV.	US-PGPUB; USPAT	OR	ON	2008/12/05 11:39
S17	3	((WOLFGANG) near2 (LANGER)). INV.	US-PGPUB; USPAT	OR	ON	2008/12/05 11:39
S18	0	S11 and defect and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:40
S19	0	S11 and defect and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:40
S20	0	S11 and defect and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:41
S21	0	S12 and defect and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:41
S22	0	S13 and defect and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:43

S23	3	S10 and descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:46
S24	638382	S23 and select\$3 and review and data file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:47
S25	0	S23 and select\$3 and review and data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:47
S26	18	S7 and select\$3 and review and data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:48
S27	0	S26 and parameters and learning adj node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:49
S28	0	S26 and parameters and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:49
S29	17	S26 and parameters	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:49
S30	2	S1 and S7 and S24 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:56
S31	2	S30 and @ad< "20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:56
S32	18	S7 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:57

S33	16	S32 and @ad< "20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:58
S34	20	S1 and automatic and defect adj recognition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:00
S35	638382	S34 and select\$3 and review and data file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:01
S36	4	S34 and descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:33
S37	1	S34 and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:34
S38	0	S37 and @ad< "20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:34
S39	16	S34 and @ad< "20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:35
S40	0	S39 and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:35
S41	2	S39 and learning	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:35
S42	16	S26 and @ad< "20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:39

S43	0	S42 and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:40
S44	0	S42 and learning near mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:40
S45	0	S42 and learning near3 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:40
S46	11	S42 and descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:40
S47	598	S1 and select\$3 and review and data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:44
S48	340	S47 and @ad< "20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:44
S49	1	S48 and input and user and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:45
S50	1	S48 and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:46
S51	4	S48 and alignment adj procedure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:46
S52	0	S8 and automatic adj defect and recognition and (detect\$3 or determining) same (defect or flaw or fault) same (assign\$3 or test\$3 or evaluat\$3) same descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:02

S53	0	S48 and automatic adj defect and recognition and (detect\$3 or determining) same (defect or flaw or fault) same (assign\$3 or test\$3 or evaluat\$3) same descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:02
S54	1	automatic adj defect and recognition and (detect\$3 or determining) same (defect or flaw or fault) same (assign\$3 or test\$3 or evaluat\$3) same descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:02
S55	11	automatic adj defect and recognition and (detect\$3 or determining) and (defect or flaw or fault) and (assign\$3 or test\$3 or evaluat\$3) and descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:03
S56	5	S55 and @ad< "20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:03
S57	1	S56 and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:03
S58	0	S57 and edit adj recipe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:05
S59	0	S57 and edit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:05
S60	0	S57 and memory adj circuits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:07
S61	1	S57 and circuits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:07
S62	0	S61 and logic adj circuits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:08



S63	0	S61 and blank adj wafer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:08
S64	1	S66 and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 14:02

12/ 6/ 08 12:05:50 PM

C:\Documents and Settings\SChawan\My Documents\EAST\Workspaces\4454.wsp